

INDEX OF SCIENTIFIC NAMES OF PLANTS

Page numbers in italics indicate relevant entries in figures or tables.

- Acmopyle*, 4
 Acorales, 3
Adenantha, 158
Adinandra dumosa, 97
Aechmea magdalenae, 194
Afrocarpus, 4
Agathis, 4
Aglaia, 30, 157
*Aglaia affinis*¹, 32
Aglaia mackiana, 167, 172
Agrostistachys, 58
Alchornea costaricensis, 239
Aleurites moluccana, 185
 Alismatales, 3
Allocasuarina, 56
Alnus, 56
Alocasia, 4
Alphitonia petriei, 142
Alpinia, 4
Alseis blackiana, 108, 177, 201
Amblyanthopsis, 82
Amblyanthus, 82
Anabaena, 49, 57
 Anacardiaceae, 4, 133, 142, 149
Anacardium excelsum, 37, 97
Annona sericea, 141
Annona spraguei, 84, 97
 Annonaceae, 4, 74, 75, 141, 142, 158
Anthonotha macrophylla, 122
Antidesma cuspidatum, 220, 223
Antirrhoea trichantha, 97
 Apiales, 3
 Apocynaceae, 4, 73, 74, 139, 148, 149
- Aquifoliaceae, 4
 Aquifoliales, 3
 Araceae, 4
 Araliaceae, 2, 4, 61, 76
Araucaria, 4, 40
Araucaria cunninghamii, 106
Araucaria hunsteinii, 106
 Araucariaceae, 4
Ardisia, 18, 82
 Arecaceae, 4
 Arecales, 3
Arenga pinnata, 133
Argyrodendron peralatum, 93
 Ascomycotina, 49, 52
 Asparagales, 3
Aspidosperma cruenta, 200
 Asterales, 3
Asterogyne martiana, 143
Astrocaryum jauari, 162
Astrocaryum macrocalyx, 172
Astrocaryum mexicanum, 104, 106, 126
Astrocaryum standleyanum, 161
- Baccaurea parviflora*, 128
Baccaurea racemosa, 128
Baccaurea reticulata, 128
Bactris bifida, 141
Bactris gasipaes, 141
Bactris monticola, 141
Bactris porschiana, 141
Balanites wilsoniana, 161
Barringtonia racemosa, 133
 Basidiomycotina, 49, 52
Beilschmiedia pendula, 223, 239
Bellucia grossularioides, 97
Bernoullia flammea, 136

¹ Currently considered a synonym of *Aglaia odoratissima*.

282 **Index of scientific names of plants**

- Bertholletia excelsa*, 175, 172
 Betulaceae, 56
 Bignoniaceae, 4, 132, 133, 137, 148, 199
Blakea chlorantha, 134
 Blechnaceae, 4
Blechnum, 4
Blighia sapida, 73
Bocageopsis multiflora, 142
 Bombacaceae, 4, 22, 125, 132, 133, 147, 148, 149
Bombax vaeletonii, 133
 Boraginaceae, 4
Brainea, 4
 Brassicales, 3
Brosimum alicastrum, 106, 164, 172, 173, 175, 239
 Burseraceae, 4, 73, 77, 137
- Cabralea canjerana*, 162
Caesalpinia, 140
 Caesalpinioideae, 49, 52, 56, 132, 134
Calliandra, 136
Calophyllum, 29
Calophyllum longifolium, 125, 126, 127
Calothrix, 49, 57
Calvaria major, 178
Calyptrogyne ghiesbreghtiana, 121
Camellia sinensis, 60
 Cappariaceae, 4, 139
Carapa guianensis, 172
Carica papaya, 123, 190
Cariniana micrantha, 103
 Caryocaraceae, 132
 Caryophyllales, 3
Casearia corymbosa, 158
Castanopsis fissa, 70
Castanospermum australe, 93, 184
Castilla elastica, 97, 206
 Casuarinaceae, 49, 56
Cavanillesia, 22
Cavanillesia platanifolia, 125, 192, 200, 237
Cecropia, 22, 28, 33, 40, 119, 159, 224, 226, 233, 241
Cecropia ficifolia, 97
Cecropia insignis, 117, 186, 187, 188, 199, 238, 239
Cecropia longipes, 97
Cecropia obtusa, 100, 194
Cecropia obtusifolia, 105, 106, 113, 186, 187, 189, 196, 198, 199, 206, 208, 218, 220, 236, 237, 238, 241
Cecropia peltata, 224, 226
Cecropia schreberiana, 193, 194
Cecropia sciadophylla, 238
Ceiba, 22
Ceiba pentandra, 26, 27, 28, 97, 132, 133, 136, 191, 200, 239, 246
- Celastraceae, 4
 Ceratophyllales, 3
Ceratozamia, 4
Ceuthostoma, 56
Chamaedora tepejilote, 106, 121
Chigua, 4
Chionanthus domingensis, 193
Chisocheton macranthus, 97
Chlorocardium rodiei, 100, 164, 171, 172
 Chrysobalanaceae, 4, 139
Cibotium, 4
Cinchona, 75
Clethra, 149
Clethra occidentalis, 194
Clidemia heterophylla, 79
Clidemia sericea, 97
Clusia, 2, 138
 Clusiaceae, 4
Coccothrinax readii, 106
Cochlospermum vitifolium, 237
Cocos nucifera, 26, 133
Coffea, 75
Cola, 75
Cola lizae, 160
 Combretaceae, 4, 149
 Commelinales, 3
Copaifera multijuga, 89
Copaifera pubiflora, 172
Cordia, 140
Cordia alliodora, 126, 200
Cordia bicolor, 239
Cordia nodosa, 79
Cordyline, 4
Coriaria, 56
 Coriariaceae, 56
 Cornales, 3
Croton billbergianus, 117
 Crotonoideae, 73
Cryosophila albida, 141
 Cucurbitales, 3
Culcita, 4
 Cunoniaceae, 4
 Cupressaceae, 4
Cyanea, 16, 71
Cyathia, 4
 Cyatheaceae, 4
 Cycadaceae, 4
 Cycadales, 3
 Cycadopsidea, 4, 49
Cycas, 4
Cycas circinalis, 73
 Cyclanthaceae, 141
Cynometra alexandri, 54
 Cyperaceae, 4
Dacrycarpus, 4

Index of scientific names of plants

283

- Dacrydium*, 4
Dalechampia, 138
Dalechampia spathulata, 138
Daniellia pynaertii, 134
Darlingia darlingiana, 205
Datura, 139
 Degeneriaceae, 141
Delonix, 140
Dendrocnide, 71
Dendrocnide stimulans, 71
Desmopsis panamensis, 84, 97, 205
Dialium pachyphyllum, 97
 Dichapetalaceae, 4
Dicksonia, 4
 Dicksoniaceae, 4
Dicorynia guianensis, 43, 203
Dicymbe altsonii, 100
Dillenia suffruticosa, 97, 224
 Dilleniaceae, 4
Dioon, 4
 Dioscoreales, 3
Diospyros, 22
Diospyros apiculata, 128
Diospyros maingayi, 128
Diospyros pentamera, 142
 Dipsacales, 3
 Dipterocarpaceae, 4, 49, 52, 55, 73, 77, 125,
 129, 148, 149, 170
Dipterocarpus acutangulus, 172
Dipterocarpus caudiferus, 97
Dipterocarpus globosus, 172
Dipterocarpus oblongifolius, 34
Dipteryx micrantha, 172
Dipteryx panamensis, 26, 45, 92, 112, 119,
 120, 138, 161, 171, 172, 218
Dracaena, 4
 Dracaenaceae, 4
Drimys piperata, 143
Dryobalanops aromatica, 39, 54, 95, 97, 172
Dryobalanops lanceolata, 93, 97, 138, 172,
 214, 215, 218
Drypetes standleyi, 108, 113, 239
Duabanga grandiflora, 133
Durio graveolens, 133
Durio zibethinus, 133
Dyera costulata, 22

 Ebenaceae, 4, 22
 Elaeagnaceae, 56
Elaeagnus, 56
Elaeis guineensis, 156
 Elaeocarpaceae, 4, 75
Elaeocarpus, 157
 Endogonales, 49, 52
Endospermum labios, 72, 82
Endospermum peltatum, 236

Ensete, 4
Eperua falcata, 100, 148, 164, 172
Eperua grandiflora, 172
 Ericaceae, 4
 Ericales, 3
Erythrina, 75, 136
Erythrophleum, 75
 Erythroxylaceae, 4
Eschweilera sagotiana, 100
 Eucalyptus, 149
Eugenia coloradensis, 239
Euphorbia forbesii, 60
Euphorbia rockii, 60
 Euphorbiaceae, 4, 71, 73, 75, 123, 127, 137,
 142, 147, 159
Eupomatia laurina, 142
 Eupomatiaceae, 141
Eusideroxylon zwageri, 54
Euterpe edulis, 105, 106

 Fabaceae, 4
 Fabales, 3
 Fagaceae, 4, 49, 52, 161
 Fagraea, 6
Fagraea racemosa, 132
Falcatifolium, 4
Faramea occidentalis, 47, 173
Faramea terryae, 113
Ficus, 2, 22, 146, 159
Ficus dugandii, 126
Ficus glabrata, 162
Ficus insipida, 94, 97, 241
Ficus obtusifolia, 97, 126
Ficus popenoei, 126
Ficus stenophylla, 167
Ficus stupenda, 164
Ficus subsecta, 164
 Filicopsida, 4
 Flacourtiaceae, 4, 75, 137
Flindersia brayleyana, 142
Frankia, 49, 56

Ganua, 134
Garcinia hombroniana, 138
Garcinia scortechinii, 125
Gardenia actinocarpa, 141
 Garryales, 3
 Gentianales, 3
Geonoma congesta, 121
Geonoma macrostachys, 138
 Geraniales, 3
Gilbertiodendron dewevrei, 54, 55, 169, 172,
 174
 Ginkgoales, 3
Glochidion rubrum, 97
 Glomales, 49, 52

284 **Index of scientific names of plants**

- Gnetaceae, 4
 Gnetales, 3
 Gnetopsida, 4
Gnetum, 4
Gnetum costatum, 4
Gnetum gnemon, 4, 140
Goethalsia meiantha, 238
Goupia glabra, 100
 Gramineae, 4
Guaiacum, 20
Guarea, 163
Gustavia superba, 166, 172, 184, 193, 239
 Guttiferae, 4, 73, 74, 136, 142
- Hampea appendiculata*, 113
Harmsiopanax, 129
Helianthus annuus, 238
Heliconia, 4, 146
 Heliconiaceae, 4
Heliocarpus appendiculatus, 224
Hevea brasiliensis, 147
Hibiscus, 136
Hirtella triandra, 47
Hopea griffithii, 220
Hopea nervosa, 216, 217
Hura crepitans, 148
Hybanthus prunifolius, 17, 47, 130, 171
Hyeronima alchorneoides, 112, 119, 120
Hymenaea, 77
Hymenaea courbaril, 162, 172
Hymenobium mesoamericanum, 112, 119, 120
- Icacinaceae, 4
Inga oerstediana, 225
Intsia palembanica, 28
Ixora griffithii, 141
Ixora platythyrsa, 139
- Julbernardia seretii*, 54, 172, 174
- Laetia procera*, 26
 Lamiales, 3
Lantana, 140
Lasianthus, 157
 Lauraceae, 4, 74, 141, 154, 157
 Laurales, 2, 3
 Lecythidaceae, 4, 133, 137, 161
Lecythis ampla, 92, 112, 119, 120
Lecythis corrugata, 222
Lecythis ollaria, 73
 Leguminosae, 4, 49, 52, 74, 75, 77, 132, 134, 137, 139, 147, 148
Leonardoxa africana, 78, 80
Lepidozamia, 4
 Leptopteris, 4
- Leptospermoideae, 49, 52
Licania heteromorpha, 97
 Liliales, 3
Lindenia rivalis, 139
Litsea leefeana, 143
Lodoicea maldivica, 147
 Loganiaceae, 4
Lonchocarpus pentaphyllus, 164, 200
Lophopetalum wightianum, 148, 149, 151, 164
Luehea seemannii, 97, 108, 239
- Macaranga*, 13, 58, 215, 231, 233, 240, 241, 242
Macaranga conifera, 93
Macaranga gigantea, 219, 237
Macaranga heynei, 97, 224
Macaranga hypoleuca, 97, 236
Macaranga trachyphylla, 78
Macoubea guianensis, 172
 Magnoliaceae, 4
 Magnoliales, 2, 3
 Magnoliidae, 141
Maieta guianensis, 78
Mallotus paniculatus, 97, 190
Mallotus wrayi, 29, 32, 34
 Malpighiaceae, 137
 Malpighiales, 3
 Malvaceae, 4
 Malvales, 3
Mangifera, 158
Mangifera indica, 133
Matisia cordata, 134
Maximiliana maripa, 167, 172
Melaleuca cajuputi, 223
Melastoma malabathricum, 60, 97, 138, 223, 242
 Melastomataceae, 4, 74, 79, 134, 137, 157, 162, 180, 185
 Memecyleae, 137
 Meliaceae, 4, 139, 154, 157, 159
Mezzettia parviflora, 191
Miconia, 162, 208
Miconia argentea, 46, 162, 186, 187, 239
Miconia mirabilis, 194
Microberlinia bisulcata, 55
Microdracoides, 4
 Mimosaceae, 133
 Mimosoideae, 139
Minuartia glabra, 120
Minuartia guianensis, 24, 92, 112, 119
 Monimiaceae, 4
Montrichardia, 4
Mora excelsa, 54, 55, 100, 221
*Mora gonggrijpii*², 172, 221
 Moraceae, 4, 73, 76, 144, 146, 154, 206, 241

² Recently transferred to the genus *Hydrochorea*.

Index of scientific names of plants

285

- Moronobea coccinea*, 135
Musa, 4, 133
Musa acuminata ssp. *halabanensis*, 136
Musa salaccensis, 136
 Musaceae, 4, 133
Musanga, 22, 28, 240
Musanga cecropioides, 194
Mussaenda, 140
Myrica, 56
 Myricaceae, 49, 56
Myristica fragrans, 123
 Myristicaceae, 4, 40, 141, 154
 Myrsinaceae, 4, 57, 74, 82
 Myrtaceae, 4, 49, 52, 74, 132, 133, 154
 Myrtales, 3

Nageia, 4
Nectandra whitei, 239
Neea, 49
Neea chlorantha, 41
Neolitsea dealbata, 143
Neonauclea, 39
Neorosea, 82
Nephelium ramboutan-ake, 30, 32
Normanbya normanbyi, 172
Nostoc, 49, 57

 Ochnaceae, 4
Ochroma, 22, 241
Ochroma pyramidale, 19, 188, 237
Ocotea costulata, 97
Ocotea endresiana, 166, 177
Ocotea whitei, 171
 Olacaceae, 4, 50
 Oleaceae, 4
Omphalea oleifera, 106
 Opiliaceae, 50
Ormosia, 158
Ormosia lignivalvis, 158
Oroxylum indicum, 132, 133
 Osmundaceae, 4
Ouratea lucens, 84, 97
 Oxalidales, 3
Oxandra euneura, 142

Pajanelia longifolia, 133
Palicourea guianensis, 117
 Palmae, 4, 133, 141, 154, 157
 Pandanaceae, 4
 Pandanales, 3
Pandanus, 4
 Papilionoideae, 56
Papuacedrus, 4
Paraserianthes falcataria, 223
Parashorea malaanonan, 216, 217
Parashorea tomentella, 97

Parasponia, 49, 56
Parkia, 132, 133
Parkia bicolor, 134
Pavetta, 82
Peltogyne venosa, 100
Pentace adenophora, 97
Pentaclethra macroloba, 42, 54, 93, 97, 106
Persea americana, 81
Phenakospermum, 4
 Phyllocladaceae, 4
Phyllocladus, 4
Phytelephas seemannii, 123, 141
Phytolacca rivinoides, 157, 166
 Pinaceae, 4
 Pinales, 3
 Pinopsida, 4
Pinus, 4
Piper, 18, 64, 87, 89, 159, 241
Piper aequale, 97, 190
Piper amalago, 166
*Piper arieianum*³, 67, 69, 121
Piper auritum, 97, 100, 220
Piper cordulatum, 47
Piper hispidum, 190
Piper lapathifolium, 97
Piper umbellatum, 97, 100, 190
 Piperaceae, 4
 Piperales, 3
Pisonia grandis, 150
*Pithecellobium elegans*⁴, 112, 119, 120, 125, 126, 139
 Pittosporaceae, 4
Plantago, 16
Platypodium elegans, 126, 164, 171, 200, 202
 Poaceae, 4
 Poales, 3
 Podocarpaceae, 4
Podocarpus, 4
Podococcus barteri, 106
Poeciloneuron pauciflorum, 54
Popowia pisocarpa, 142
Poulsenia armata, 239
*Pourouma aspera*⁵, 42, 206
Pouteria, 172
Prestoea schultzeana, 143
Prioria copaifera, 47, 108
 Proteaceae, 75, 161
 Proteales, 3
Protium, 97
Protium panamense, 205
Prumnopitys, 4
Pseudophoenix sargentii, 106

³ A synonym of *Piper trigonum*.⁴ Recently transferred to the genus *Balizia*.⁵ A synonym of *Pourouma bicolor*.

286 **Index of scientific names of plants**

- Psychotria*, 18, 82, 93, 247
Psychotria furcata, 97, 246
Psychotria horizontalis, 47, 224
Psychotria limonensis, 79, 97
Psychotria marginata, 97
 Pteridophyta, 3
Pterocarpus, 149

Qualea rosea, 94
Quararibea asterolepis, 108, 239

 Ranunculales, 3
Ravenala, 4
 Rhamnaceae, 4
*Rhedia acuminata*⁶, 113
Rhizobium, 49, 56
 Rhizophoraceae, 4
Rhododendron, 149
Ricinodendron heudelotii, 185, 191
Rinorea, 18
Rinorea viridifolia, 41
 Rosaceae, 4, 75
 Rubiaceae, 4, 57, 74, 75, 82, 93, 139, 154, 157, 180, 185
 Rutaceae, 4, 74, 77, 154

 Santalaceae, 50
 Santalales, 3, 48
 Sapindaceae, 4, 74, 75, 83, 159
 Sapindales, 3
 Sapotaceae, 4, 73, 75, 134, 137, 158
Sararanga, 4
 Saxifragales, 3
Scaphium macropodum, 164, 171, 196, 197
Scaphopetalum amoenum, 122
Scheelea zonensis, 172
Schefflera morototoni, 97
Scleropyrum, 50
*Senecio cooperi*⁷, 58
Shorea, 208
Shorea curtisii, 219
Shorea johorensis, 216, 217
Shorea leprosula, 214, 215, 218, 219, 225
Shorea maxwelliana, 225
Shorea megistophylla, 206
Shorea parvifolia, 141, 142, 223
Shorea section *Doona*, 12
Shorea section *Mutica*, 142
Shorea seminis, 97
Shorea trapezifolia, 206
Shorea worthingtonii, 206
Shorea xanthophylla, 97

Sideroxylon grandiflorum, 178
Simarouba amara, 24, 92, 119, 239
 Simaroubaceae, 4
Sloanea guianensis, 28
Socratea durissima, 42, 199
Socratea exorrhiza, 141
 Solanaceae, 74, 139
 Solanales, 3
Solanum hayesii, 104, 107, 239
Solanum rugosum, 237
Solanum straminifolium, 97
Sonneratia alba, 133
Sonneratia caseolaris, 133
Sonneratia ovata, 133
 Sonneratiaceae, 133
Spathelia, 129
Spathodea, 136
Spondias mombin, 108, 125, 126, 127
Sterculia, 22
 Sterculiaceae, 4, 143
Streblus brunonianus, 144
Streblus elongatus, 71
 Strelitziaceae, 4
Strobilanthes, 129
Stryphnodendron excelsum, 106
Stryphnodendron microstachyum, 79
 Styracaceae, 4
Sundacarpus, 4
Swartzia, 22
Swartzia polyphylla, 149
Swartzia simplex, 104
Swietenia macrophylla, 246
Swintonia schwenkii, 148, 153, 164
Symphonia globulifera, 136
Syzygium corniflorum, 132
Syzygium malaccense, 133

Tabebuia rosea, 199, 200
Tabernaemontana arborea, 239
Tabernaemontana pachysiphon, 226
Tachigali, 129
Tachigali versicolor, 148, 150, 164, 172, 173
Tapirira guianensis, 35
Tapirira marchandii, 100
Tapirira obtusa, 222
 Taxaceae, 4
Taxus, 4
Terminalia oblonga, 200
Tetraberlinia bifoliolata, 55
Tetraberlinia moreliana, 55
Tetragastris panamensis, 43, 47
Tetramerista glabra, 122
 Theaceae, 4
Theobroma, 75
Theobroma cacao, 143
Thrinax radiata, 106

⁶ *Rhedia* is not considered distinct from *Garcinia* by most authorities, making the correct name for this species *Garcinia madruno*.

⁷ Recently transferred to the genus *Jessea*.

 Index of scientific names of plants

287

- Thymelaeaceae, 4
 Tiliaceae, 4
Tococa guianensis, 57, 79
Tococa occidentalis, 79
Toona australis, 205
Trema, 240
Trema tomentosa, 97, 193, 224
Trichilia tuberculata, 47, 108, 177, 239
Trichospermum mexicanum, 220
Triplaris cumingiana, 200
Trophis involucrata, 144
Trophis racemosa, 206
Trymatococcus amazonicus, 150
Turpinia occidentalis, 126
Turpinia occidentalis ssp. *breviflora*, 127
Turraeanthus africana, 203

Uapaca, 49
 Ulmaceae, 4, 49, 56
Urera, 71
Urera caracasana, 97, 190
Urophyllum, 60
 Urticaceae, 4, 71
 Urticeae, 71

Vatica maingayi, 220
Vellozia, 4
 Velloziaceae, 4
 Verbenaceae, 4
Virola michelii, 172

Virola nobilis, 6, 157, 171, 172, 174, 202, 203
Virola surinamensis, 6, 157
Vismia japurensis, 97
Vismia lauriformis, 97
 Vochysiaceae, 4, 148
Vouacoupa americana, 43, 161

Welfia georgii, 199
Widdringtonia, 4
 Winteraceae, 141, 143
Witheringia coccoloboides, 157, 166
Witheringia solanacea, 155, 157

Xanthorrhoea, 4
 Xanthorrhoeaceae, 4
Xerophyta, 4
*Xerospermum intermedium*⁸, 140
Xylopia micrantha, 84, 97

Zamia, 4
Zamia skinneri, 86
 Zamiaceae, 4
Zanthoxylum belizense, 117, 238, 239
Zanthoxylum panamense, 239
 Zingiberaceae, 4
 Zingiberales, 3, 146
 Zygomycotina, 49, 52

⁸ A synonym of *Xerospermum noronhianum*.

INDEX OF SCIENTIFIC NAMES OF ANIMALS

Page numbers in italics indicate relevant entries in figures or tables.

- Alouatta seniculus*, 160, *166*
 Andrenidae, 137
 Anthophoridae, 137
 Apidae, 137, 138
 Apini, 137
Apis dorsata, 137
 Apoidea, *131*
Atta colombica, 162
Aulocorhynchus prasinus, *166*
 Aves, *131*
- Blattodea, 130
Brotogeris chrysopterus, 136
Brycon guatemalensis, 162
 Bucerotidae, 156
- Carollia perspicillata*, 159, *166*
 Casuariidae, 156
Casuaris bennetti, 167
Cephalophus, 151
 Ceratopogonidae, 143
Chamaepetes unicolor, *166*
 Chiroptera, *131*
 Coerebidae, 135
 Coleoptera, 130, *131*
Copestylum, 143
 Corvidae, 160
 Cotingidae, 156
Crematogaster borneensis, 78
 Curculionidae, 171
- Dasyprocta punctata*, 161, *166*
 Diptera, 130, *131*, 142
 Drepaniidae, 134
- Elleschodes hamiltoni*, 142
- Euglossini, 137
- Gecarcoidea natalis*, 162
 Geometridae, 139
Gorilla gorilla gorilla, 160
- Halictidae, 137
Herpetogramma, 140
Heteromys desmarestianus, 160
 Hymenoptera, 130, *131*
- Insecta, *131*
- Lagothrix lagotricha*, 166
 Lepidoptera, 130, *131*, 139
 Loriinae, 134
Loxodonta africana, 161
- Megachilidae, 137
 Megachiroptera, 131
 Meliphagidae, 134
Mitu salvini, 167
Monolepta, 143
 Musophagidae, 166
Myadestes melanops, 155, 157, *166*
Myoprocta exilis, 161
Myrmelachista, 79
- Nanophyes shoreae*, 171
 Nectariniidae, 134
 Nitidulidae, 171
 Noctuidae, 75, 139
- Paradisaeidae, 156
Petalomyrmex phylax, 78
Phainotila melanoxantha, 157, *166*

Index of scientific names of animals

289

-
- | | |
|---|------------------------------------|
| <i>Pharomachrus mocinno</i> , 166 | Syrphidae, 137, 143 |
| Phyllostomidae, 158 | |
| <i>Podenia eridania</i> , 75 | <i>Tapirus terrestris</i> , 167 |
| <i>Procnias tricarunculata</i> , 166, 177 | Thysanoptera, 130, 142 |
| Psittacidae, 134 | <i>Trigona erythrogastra</i> , 138 |
| Pycnonotidae, 135, 156 | <i>Trigona</i> , 138 |
| Pyralidae, 139 | Trochilidae, 134 |
| | Trogonidae, 156 |
| Ramphastidae, 156 | Tupaiidae, 161 |
| <i>Raphus cucullatus</i> , 178 | <i>Turdus plebejus</i> , 166 |
| | |
| Sciuridae, 160 | <i>Varanus olivaceus</i> , 162 |
| <i>Semnornis frantzii</i> , 157, 166 | |
| Sphingidae, 131, 138 | <i>Xylocopa</i> , 137 |
| <i>Steatornis caripensis</i> , 157 | |
| Sturnidae, 135, 156 | Zosteropidae, 135 |
| <i>Sundasciurus hippurus</i> , 160 | |

GENERAL INDEX

Page numbers in italics indicate relevant entries in figures or tables.

- β -N-methyl amino acid, 73
¹⁴C-dating, 103
- acclimation, 98, 219, 231
 acorns, 161
 acouchy, 160, 161
 actinomycete, 56
 actinorhizal species, 51, 56, 57
 adaptation, 9–10
 adaptationist programme, 9
 adventitious roots, 58, 122, 201
 Africa, 1, 23, 75, 78, 89, 122, 133, 134, 151,
 157, 159, 161, 208, 226, 236
 agamospermy, 125
 agoutis, 160, 161, 175
 algae, 57
 alkaloids, 74, 75, 87, 89, 226
 allometry, 41, 42, 44, 45, 47, 128
 Altos de Pipe, 124
 aluminium, 50, 60, 82, 223
 aluminium accumulator, 60
 Amazonia, 48, 99, 103, 115, 158, 162
 Amazonia, 22, 78, 89, 105, 132, 136, 139,
 142, 143, 149, 157, 162, 175, 221, 240,
 246
 American tropics, 23
 amino acids, 73, 74, 136
 amortisation rate, 87, 89
 anemochory, *see* wind dispersal
 anemophily, *see* wind pollination
 annual rings, 103
 ant defence, 101
 anthocyanins, 83, 85
 anti-fungal compounds, 85
 ants, 57, 72, 77, 78, 79, 80, 147, 151, 162, 177
 apes, 159
 apomixis, 125
- arboreal mammals, 130
 architecture, 17, 48, 49, 104, 129, 195, 196,
 201, 214, 215, 229, 230, 240
 arginine, 73
 Asian tropics, 23
 assimilation rates, 93, 101, 209, 214, 231
 asymptotic height, 45, 47, 215, 227, 231
 Atlantic, 35, 132, 162
 Australia, 24, 56, 62, 93, 133, 141, 144, 156,
 184, 230, 246
 autochory, 147–48
 autogyros, 149
 avocado pear, 81
- bacteria, 51, 56, 57, 82, 83, 168
 bacterial leaf-nodule, 57
 Bako, 111
 ballistochory, 147, 148, 174
 bamboo, 25, 129
 bananas, 2, 136
 Barito Ulu, 60
 bark, 46
 Barro Colorado Island, 6, 7, 8, 15, 17, 24, 31,
 35, 43, 46, 48, 67, 73, 77, 79, 90, 93, 94,
 95, 104, 107, 108, 109, 110, 113, 114, 115,
 116, 121, 124, 125, 127, 152, 154, 161,
 162, 163, 164, 166, 171, 173, 177, 178,
 186, 187, 192, 194, 195, 196, 199, 200,
 201, 202, 203, 205, 210, 213, 214, 218,
 224, 225, 237, 238, 239, 240, 241, 242,
 243
 bats, 130, 131, 132, 133, 134, 144, 154, 155,
 158, 159, 161, 163, 166
 as pollinators, 131–3
 as seed dispersers, 158–9
 bears, 151, 197
 bees, 123, 126, 131, 132, 137, 138, 141, 142,

- 144, 145, 146
 as pollinators, 137–8
 beetles, 123, 126, 131, 141, 142, 143, 144, 146,
 163, 169, 171, 175, 191
 as pollinators, 141–2
 Belize, 139
 bioassay, 59
 birds, 130, 131, 135, 136, 144, 150, 151, 154,
 155, 156, 157, 158, 160, 163, 166, 168,
 179
 as pollinators, 134–6
 as seed dispersers, 156–8
 birds-of-paradise, 156
 black-and-yellow silky flycatcher, 157
 black-faced solitaire, 157
 Blue Mountains, 124, 194
 blue-green algae, 51, 57
 Borneo, 6, 16, 24, 34, 54, 60, 65, 93, 122, 130,
 160, 161, 170, 177, 219, 223, 240, 246
 boundary layer, 62, 92
 brazil nut, 175
 Brazil, 35, 48, 50, 63, 103, 133, 162, 166, 175
 breeding unit parameters, 126
 brochidodromous, 63, 64
 brocket deer, 151
 bromeliad, 194
 Brunei, 38, 39, 48, 93, 221
 Bukit Lagong, 108, 109, 111, 115, 240
 Bukit Mersing, 111
 bulbuls, 135, 156
 butterflies, 134, 139, 140, 141, 144
 as pollinators, 139–41
 buttresses, 28–34
 buzz-pollination, 137
- C3 photosynthesis, 60
 C4 photosynthesis, 60
 caatinga, 65, 186, 203, 204, 216
 caffeine, 75
 calcium, 59, 68, 71, 72, 100, 147
 CAM, *see* crassulacean acid metabolism
 cambium, 18, 43, 103
 CAM–C3 intermediate metabolism, 60
 Cameroon, 55, 74, 90, 134
 Canada, 53
 canavanine, 73
 canopy species, 116, 117, 232
 canopy, 1, 7, 15, 16, 31, 41, 43, 45, 46, 55, 62,
 67, 77, 90, 92, 93, 94, 95, 96, 98, 101, 110,
 111, 112, 113, 114, 115, 117, 118, 119,
 125, 127, 130, 136, 137, 145, 146, 158,
 185, 186, 189, 194, 196, 202, 205, 212,
 216, 219, 220, 227, 229, 230, 231, 232,
 234, 236, 238, 242, 244, 245
 carbon dioxide, 35, 62, 93, 96, 98, 218, 220
 carbon fixation, 67, 92, 94, 219, 221
 caryophyllene, 77
 cassowaries, 155, 156, 158
 caterpillars, 70
 catfish, 162
 cauliflory, 132, 145
 cavitation, 19, 21, 36, 221
 cellulose, 19, 25, 70, 87
 Central Africa, 54
 Central America, 75, 144, 158, 161, 225, 246
 cephalophanes, 151
 cercopithecines, 159
 Chamela, 22
 chemical defence, 82, 101, 184, 225
 chestnut-mandibled toucan, 157
 chimpanzees, 160
 chlorophyll, 83, 84, 85, 86, 92, 93, 94, 95
 Christmas Island, 162
 chrysolimid, 141, 142, 143, 146
 civets, 151
 climax species, 100, 226, 233, 234, 236, 237,
 238, 240, 241, 242, 243, 244, 245, 246
 climbers, 1, 2, 138, 146
 cockroaches, 130, 131
 coco-de-mer, 147
 co-evolution, 136, 178, 179
 cohesion–tension theory, 35, 36, 37
 coleopterans, 141
 Colombia, 166
 colonisation hypothesis, 176, 177
 coloured young leaves, 83–86
 colubines, 159
 comparative use of nutrients, 58–60
 compensating-pressure theory, 37
 compensatory mortality, 7
 competition, 7, 26, 79, 184, 186, 203, 223, 229
 compound leaves, 60, 62, 65, 196
 condensed tannins, 90
 congeneric, 7
 Congo, 55, 169, 174
 conifers, 24, 28, 37, 40, 77, 144
 constitutive defences, 82
 constraint on leaf design, 61
 coralloid roots, 51
 Costa Rica, 15, 18, 22, 24, 26, 42, 54, 64, 67,
 75, 87, 92, 93, 103, 105, 107, 112, 116,
 117, 118, 120, 121, 125, 134, 145, 152,
 154, 157, 162, 163, 166, 171, 177, 186,
 194, 201, 202, 205, 218, 223, 229, 231,
 238
 coterie, 157, 177
 cotingas, 156
 cotyledons, 160, 183, 192, 195, 197, 199, 202,
 209
 coumarins, 76
 crabs, 162
 craspedodromous, 63, 64

292 **General index**

- crassulacean acid metabolism, 60
 crown asymmetry, 31
 crown illumination index, *111*, *112*, 119, 231
 crystal inclusions, 72
 cyanobacteria, 56, 57
 cyanogenesis, 75
 cycads, *51*, 56, 57, 86
 cystathionine, 73
- D1 protein, 95
 damping-off, 202, 238
 Danum Valley, 29, 34, 193, 216, *217*, 236
 dark respiration, 93, 100, 209, 213, 218, 241
 deer, 201
 defences, 68, 70, 71, 73, 81, 82, 69–82, 87, 88,
 89, 92, 101, 168, 182, 224, 226, 235
 defoliation, 67, 70, 121, 224, 225
 delayed greening, 83, 85, *101*
 density-dependent mortality, 169, 170, 171
 dioecious species, 123, *124*, 127, 129, 141
 dipterocarp, 38, 39, 115, 138, 141, *143*, 146,
 178, 193, 205, 214, 216, 219, 220, 243
 direct cycling, 53
 directed dispersal, 177
 dispersal distance, 148, *150*, *153*, 154, 155,
 163, 164, 166, 170, 174, 176, 237
 dispersal syndromes, 155–62
 diterpenoids, 76
 dodo, 178
 domatia, 57, 58, 77, 78, 79, 80, 81
 Dominica, 194
 dormouse, 134
 Douala-Edea, *74*, *90*
 double coconut, 147
 drip-tips, 64, 65
 dryads, 233
 ducks, 71
 dung beetles, 163
 dust diaspores, *149*
- early successional species, 99, 219, 240
 ecological classification, 13, 14, 233, 247
 ectomycorrhizas, *50*, *51*, 52, 53, *54*, 55, 57
 Ecuador, 63, 79, 104, 105, *111*, 115, 116, *117*,
 138, 143, *152*, *154*, 238, 240
 EFN, 79; *see also* extra-floral nectaries
 elaiosome, 177
 element accumulation, 60
 elephants, 151, 161, 168, 201
 EM, *see* ectomycorrhizas
 emergent species, 31, 45, 116
 endozoochory, 150
 enzymes, 75
 epiphylls, 57, 64
 epiphytes, 1, 58
 epizoochory, 150
 equilibrium, 7
- escape hypothesis, 169, 170, 171, 172, 176
 essential oils, 76
 euglossines, 137
 extra-floral nectaries, 77
- fecundity, 105, 204, 233, 237
 fibre concentration, 70, 81, 86, *90*, 225, 226,
 240
 fibres, 18, 19, 20, 24, 25, 70
 fig wasp, 126
 figs, 2, 123, 127, 146, 147, 179
 fish, 151, 162
 flavanoids, 76
 fleshy fruits, 148, 152, 185
 flexure wood, 25
 flies, 72, 131, 138, 142, 143
 as pollinators, *142–43*
 floaters, *149*
 fluorescence, 94
 flying foxes, 158
 foliar bacterial nodules, 82–83
 food bodies, 78
 forest architecture hypothesis, 229
 forest formations, 1
 forest ruminants, 151
 foxes, 151, 158
 French Guiana, 24, 43, *50*, 55, 94, 123, 130,
 148, 150, *154*, 161, 164, 194, 203, 221,
 230, 237, 244
 frugivores, 147, 151, 152, 155, 156, 157, 158,
 159, 161, 162, 163, 168, 180
 frugivory, 151
 fruit bats, 158
 fruit pigeons, 156
 fruits, *152*, *154*
 fungi, 46, *51*, 52, 53, 77, 162, 168, 187, 188,
 202, 214, 223
 F_V / F_M , 95
- Gabon, 33, 63, 73, 74, 157, 160, 195
 gamblers, 233
 gap sites, 186, 203
 gap-dependent species, 68, 96
 gap-independent species, 96, 240
 gas exchange, 62, 71, 94, 213
 geese, 71
 generalist avian frugivores, 156
 genetic mosaics, 123
 germination, 151, 160, 161, 162, 163, 177,
 178, 179, 181, 184, 187, 188, *189*, 190,
 191, 192, 193, 188–94, 195, 199, 212, 234,
 236, 241
 Ghana, 13, 16, 148, *152*
 giant tortoises, 179
 glutamine, 57
 glycosides, 75, 76, 87
 golden-winged parakeet, 136

- gorillas, 70
 Gray's monitor lizard, 162
 growth rates, 24, 68, 103, 104, 108, 109, 110, 111, 115, 117, 118, 127, 183, 185, 203, 204, 209, 212, 214, 216, 223, 228, 236, 238, 240, 245
 guans, 157
 guilds, 137, 179, 243, 247
 gums, 72
 Gunung Gadut, 164
 Gunung Silam, 65
 gut passage rates, 155, 158, 159, 161
 Guyana, 54, 55, 99, 100, 164, 171, 184, 205, 221
 gymnosperm wood, 18
 gymnosperms, 2, 57
- hairs, 71–2, 80, 81, 82, 148
 hapaxanthly, 129
 Hawaii, 16, 35, 59, 71
 Hawaiian honeycreepers, 134
 hawkmoths, 126, 131, 138, 139
 heartwood, 19, 22, 58
 heath forest, 1, 38, 39, 50, 58, 65, 66, 67, 68
 helicopters, 149
 hemi-epiphytes, 2, 60
 herbivores, 67, 69, 70, 71, 72, 73, 76, 77, 78, 81, 83, 85, 86, 87, 121, 161, 168, 184, 213, 217, 221, 224, 226, 240
 herbivory, 67, 68, 72, 80, 82, 83, 85, 86, 202, 224
 hermaphrodite species, 123, 124, 125
 heterozygosity, 125
 high light conditions, 94–5
 hoarding, 151, 160, 161, 175, 176, 198
 hollow trees, 58
 homozygosity, 125
 honeycreeper, 135
 honeyeaters, 134
 Hong Kong, 154
 hornbills, 156
 horsetailed squirrel, 160
 hoverflies, 137, 143
 howler monkeys, 70
 human beings, 201
 hummingbirds, 134, 135
 hurricane, 35, 243
 hydrochory, 149–50
 hypoglycin A, 73
- incompatibility, 125
 India, 54, 90, 151, 164
 Indonesia, 39, 163, 164, 168
 inducible defences, 82
 insects, 58, 67, 70, 71, 72, 80, 82, 86, 123, 127, 130, 131, 135, 142, 145, 156, 172, 173, 176, 214
- invertebrates, 8, 173, 187
 Ivory Coast, 22, 152, 154, 203
- Jamaica, 59, 124, 194
 Janzen–Connell hypothesis, 169, 170, 176, 177, 178
 Japan, 34, 229, 230
 Java, 50
 jays, 160
 juveniles, 18, 27, 43, 96, 105, 119, 169, 185, 195, 196, 212, 214, 215, 219, 226, 230, 238
- Kakachi, 90
 Kalimantan, 164
 Kibale, 28, 31, 74, 90, 160, 168
 Kolombangara, 242
 Korup, 90
 Krakatau, 39, 163
 Kuala Lompat, 90
- La Macarena, 166
 La Selva, 15, 24, 67, 87, 103, 107, 111, 112, 115, 116, 117, 118, 120, 121, 124, 125, 129, 145, 146, 152, 154, 162, 171, 186, 194, 199, 201, 202, 205, 216, 223, 229, 231, 238
 Lambir Hills National Park, 111, 137, 138, 141, 142, 143, 145, 146, 241
 lamina thickness, 65, 66, 96, 101
 LAR, *see* leaf area ratio
 large-statured species, 117, 215
 lateral roots, 29, 31, 220
 late-secondary species, 246
 late-successional species, 98, 99, 100
 latex, 72, 73, 81
 laxative, 155
 leaf area, 96
 leaf area ratio, 183, 196, 209, 210, 211, 213, 223
 leaf colour, 86
 leaf expansion, 85, 86
 leaf margin, 62, 63, 83
 leaf mass per unit area, 61, 65, 66, 67, 87, 90, 91, 92, 96, 99, 101, 196, 209, 211, 213, 214, 220, 223, 240, 241
 leaf monkeys, 70
 leaf size, 62, 63, 65, 96, 101, 121, 196, 197
 leaf toughness, 101
 leaf venation, 63, 64
 leaning trees, 34
 leaves, 100–2, 197, 198
 coloured young, 83–6
 form, 60, 61, 65, 86, 90, 96, 235, 241
 influence of shade, 90–4
 longevity, 88, 86–90, 89, 101, 225
 mature, 60, 67, 68, 81, 85, 97
 young, 60, 68, 77, 80, 83, 85, 86, 95, 209

294 **General index**

- legumes, 22, 56, 57, 73, 83, 161, 180
 lemurs, 159
 lianas, 21, 130
 lichens, 57
 light compensation point, 93
 light-demanding species, 77, 94, 97, 101, 185,
 187, 214, 216, 217, 233, 242, 243, 246
 lignans, 76
 lignin, 19, 28, 70, 76, 88
 lignum vitae, 20
 litter trapping, 58
 litter, 46, 50, 53, 58, 59, 82, 160, 162, 171,
 184, 186, 189, 192, 193, 194, 201, 242
 LMA, *see* leaf mass per unit area
 longevity, 245
 long-lived pioneers, 245–46
 long-tailed macaques, 72
 lorikeets, 134
 Los Tuxtlas, 22, 67, 86, 90, 96, 100, 104, 123,
 124, 164, 171, 173, 175, 186, 187, 198,
 224, 238, 240
 low-diversity tropical rain forest, 54, 55
 lowland gorillas, 70, 160
- Madagascar, 90, 159
 magnesium, 68, 223
 Makoukou, 74
 Malay Peninsula, 28, 34, 54, 142, 154, 170
 Malaysia, 6, 7, 8, 15, 17, 18, 29, 45, 77, 79, 90,
 95, 108, 115, 125, 127, 128, 133, 138, 140,
 142, 145, 171, 181, 187, 188, 193, 195,
 197, 202, 210, 216, 217, 230, 237, 240,
 243
 mammals, 109, 130, 131, 133, 134, 151, 155,
 160, 161, 163, 169, 171, 173, 175, 176,
 201, 202
 Manaus, 103
 Manu, 181
 Maracá Island, 166
 marmosets, 157
 marsupials, 133, 134, 151
 masting, 55, 129, 170
 maximal photosynthetic rate, 62, 87, 94, 95,
 97, 98, 100, 101, 210, 213, 218, 219, 228,
 231, 241
 maximum dispersal distance, 151
 mbau, 174, 175
 mechanisms of defence, 68, 69
 megaphyll, 62
 mesophyll, 1, 57, 62, 64, 67, 82, 90, 92
 mevalonate, 76
 Mexico, 22, 63, 67, 86, 87, 90, 96, 100, 104,
 123, 136, 158, 164, 171, 173, 175, 190,
 198, 209, 237, 238
 microfibrils, 19, 25
 microsatellite, 125
- mimetic, 158
 mineral nutrition, 60
 mites, 80, 81
 mitosis, 74
 monkeys, 70, 159, 160
 monocarpic species, 129, 174
 monoecious species, 123, 124
 monoterpenoids, 76, 77
 montane forest, 22, 58, 59, 64, 65, 66, 67, 68,
 124, 130, 143, 152, 157, 166
 Monteverde, 157, 163, 166
 mortality, 107, 108, 115, 228, 245
 moths, 131, 139, 140, 145, 146
 as pollinators, 138–39
 moustached tamarins, 160
 Müllerian bodies, 226
 Münch water, 36
 mycorrhizas, 46, 50, 52, 56–57, 184, 223
 myrmecophytes, 77
 myrmecotrophy, 57
- NAR, *see* net assimilation rate
 natural selection, 9, 92, 184
 nectar, 132, 133, 134, 135, 136, 137, 138, 139,
 140, 142, 143, 144
 nematodes, 203
 net assimilation rate, 95, 209, 211, 238
 New Guinea, 56, 65, 72, 74, 82, 135, 143, 146,
 152, 156, 158, 184
 niche partitioning, 7
 Nigeria, 50, 63
 nitrogen, 51, 56, 57, 59, 61, 67, 68, 81, 82, 85,
 87, 89, 90, 91, 96, 99, 100, 161, 199, 214,
 224, 226, 231, 240, 242
 nitrogen fixation, 51, 56–57
 nodule, 56, 57
 nomads, 233
 non-equilibrium, 8
 non-palisade to palisade thickness ratio, 66,
 67, 96, 101
 non-pioneer species, 181, 233
 non-protein amino acids, 73
 non-volant mammals, 131, 166
 as pollinators, 133–4
 notophyll, 62
 NPPR, *see* non-palisade to palisade thickness
 ratio
 nutcrackers, 160
 nutmeg, 123, 141, 157
 nutrient content, 58, 198
 nutrient use efficiency, 100
- obligate gap species, 96, 240
 oil flowers, 138
 oilbird, 157
 onset of reproduction, 128, 227, 228, 237

- ontogenetic changes, 197
 optimists, 214
 orang utans, 191
 orthodox seeds, 188
 orthotropic, 196, 214, 215, 240
- palms, 2, 22, 33, 26, 43, 62, 71, 104, 105, 106, 121, 123, 129, 132, 138, 141, 143, 144, 156, 161, 162, 199, 203
 mechanical design, 25
 wood density, 26
- Panama, 6, 7, 8, 15, 24, 25, 35, 37, 38, 46, 48, 62, 73, 90, 93, 94, 95, 104, 107, 108, 115, 161, 162, 163, 164, 166, 173, 192, 194, 199, 200, 205, 210, 213, 215, 224, 225, 238, 242
- Panglossian paradigm, 10
- Papua New Guinea, 166
- Pasoh, 7, 8, 15, 17, 18, 45, 77, 79, 109, 115, 125, 127, 128, 140, 171, 187, 197, 202, 237, 243
- pathogens, 22, 53, 67, 69, 76, 79, 87, 168, 170, 171, 178, 182, 184, 226, 233
- pearl bodies, 226
 Peru, 41, 79, 160, 180, 181, 224, 226
- pessimists, 214
- phenolic compounds, 75, 76, 224
- Philippines, 63
- phosphorus, 51, 52, 59, 61, 68, 91, 96, 99, 100, 214, 222, 223, 242
- photoblasty, 188
- photoinhibition, 94, 95, 219
- photosynthesis, 35, 60, 61, 82, 83, 87, 92, 93, 94, 199, 214, 218, 219, 235, 241
- photosynthetic rates, 61, 62, 85, 87, 88, 94, 96, 98, 99, 100, 203, 218, 220
- phylogenetic constraint, 10
- phylogenetically independent contrast, 10
- phylogeny, 3, 10–11
- phytochrome, 188, 189
- PIC, *see* phylogenetically independent contrast
- pigs, 201, 202
- pinnate leaves, 65
- pioneer species, 35, 100, 117, 118, 181, 191, 205, 209, 214, 218, 221, 224, 226, 233, 234, 235, 236, 237, 238, 240, 241, 242, 243, 233–44, 245, 246
- pioneer–climax axis, 233, 234, 236, 244, 245
- plagiotropic, 196, 214
- poisons, 75
- pollen, 125, 127, 130, 132, 133, 134, 137, 138, 139, 140, 141, 144
- pollination syndromes, 131, 146
- pollination, 145, 130–47
- polyembryony, 125
- population finite growth rate, 106
- potassium, 64, 68, 90, 91, 92, 96
- predator satiation, 129, 170, 173, 174, 175, 176, 192
- pressure probe, 36
- primary forest, 9, 240
- primates, 86, 133, 134, 151, 155, 157, 159, 163
 as seed dispersers, 159–60
- profile diagram, 16
- prong-billed barbet, 157
- prosimian, 134
- protein, 67, 70, 73, 76, 81, 86, 95, 154, 157, 161
- Puerto Rico, 35, 50, 193
- pygmy trees, 17, 18, 82, 93, 95
- pyrethroids, 77
- pyxidia, 161, 175
- qualitative defences, 87
- quantitative defences, 87
- Queensland, 24, 62, 93, 141, 142, 143, 154, 158, 161, 181, 184, 198, 205, 232
- quinine, 75
- R:FR, *see* red:far red ratio
- ramiflory, 132
- Ranomafana, 90
- rays, 25
- reaction wood, 28, 31
- recruitment limitation, 9
- recruitment rate, 230, 231
- red howler monkeys, 160
- red:far red ratio, 189, 191, 192, 210, 211
- regeneration, 245
- relative growth rate, 196, 205, 206, 207, 209, 210, 211, 212, 222, 223, 236
- reproduction, 235
- resins, 72, 73, 76, 81, 138
- resource availability hypothesis, 87, 88, 89
- resprouting of fallen trees, 35
- reverse-J, 238
- RGR, *see* relative growth rate
- rheophytic trees, 25
- rhinoceroses, 168
- rhizoflory, 145
- Rio Hoja Blanca Hills, 105
- Rio Palenque, 152, 154
- ripening, 155
- r*–*K* axis, 244
- rodents, 133, 158, 160, 163, 173, 175, 198
- rolling autogyros, 148, 149
- root hemi-parasites, 48
- root plate, 33
- root suckers, 122
- root systems, 25, 46, 48, 123, 202, 203, 220, 221, 241

296 **General index**

- roots, 46–60
 rubber tree, 147
 Rwanda, 166

*S*₂ wall, 19
 Sabah, 29, 34, 90, 161, 193, 216, 217, 236
 saddle-back tamarins, 160
 safety factors, 43, 201
 San Carlos de Río Negro, 65, 99, 100
 Santa Rosa, 152, 154
 sap ascent, 35–37
 sap flow, 38, 39
 saplings, 2, 26, 43, 44, 48, 49, 65, 95, 104, 109,
 113, 114, 119, 122, 171, 177, 178, 195,
 196, 197, 198, 201, 202, 205, 209, 212,
 213, 215, 217, 218, 220, 221, 224, 226,
 231, 232, 234, 240, 242, 243
 sapwood, 22, 24, 38, 46
 sapwood trees, 22
 Sarawak, 13, 134, 137, 137, 141, 142, 145, 241
 savannah, 22
 scarabs, 141
 scatter-hoarding mammals, 160, 176
 as seed dispersers, 160–61
 Scholander pressure bomb, 36
 sclerophylls, 65
 secondary chemicals, 76, 81, 155
 secondary dispersal, 147, 163, 192
 secondary forest, 89, 240, 242
 seed dispersal, 131, 147, 150, 151, 160, 163,
 169, 174, 176, 147–78
 seed predation, 175
 seed predators, 160, 161, 162, 168, 170, 182,
 192
 seed rain, 163, 186, 187
 seed size, 11, 12, 180, 181, 182, 183, 184, 185,
 180–6, 187, 192, 193, 195, 198, 228, 235,
 236, 237, 241, 243
 in relation to shade tolerance, 11, 12
 seedlings, 7, 125, 160, 168, 170, 171, 172, 174,
 175, 176, 177, 178, 183, 184, 185, 191,
 192, 193, 194–226, 232, 233, 236, 237,
 238, 241, 243
 defences, 224–6
 dependence on seed reserves, 197–9
 form, 197
 growth, 204–11
 mineral nutrition, 221–3
 mortality, 199–204
 responses to shade, 208–11
 shade tolerance, 211–16
 water relations, 220–1
 seeds, 11, 36, 55, 73, 83, 123, 125, 147, 148,
 150, 151, 154, 155, 156, 157, 158, 159,
 160, 161, 162, 163, 168, 169, 170, 171,
 172, 173, 174, 175, 176, 177, 178, 179,
 180, 181, 182, 183, 184, 185, 186, 187,
 188, 189, 190, 191, 192, 193, 195, 197,
 198, 199, 202, 221, 233, 234, 236, 237,
 238, 242, 243
 germination, 235
 recalcitrant, 188
 respiration, 182
 storage, 190
 viability, 182
 selenium, 74
 seleno-cystathionine, 73
 Sepilok, 90
 sexual systems, 124
 shade leaves, 90, 92, 96
 shade tolerance, 11, 13, 24, 98, 100, 101, 119,
 211, 212, 213, 214, 211–16, 217, 228, 230,
 231, 240, 243, 244
 shade-intolerant species, 24, 87, 97, 191, 212,
 213, 214, 216
 shade-tolerant species, 24, 68, 93, 97, 98, 100,
 101, 185, 191, 193, 208, 211, 212, 213,
 214, 215, 217, 218, 222, 238, 240, 241,
 242, 246
 shikimic acid pathway, 75
 short-lived flowers, 144
 shrub definition, 15
 shrub, 15–16, 17, 48, 49, 75, 78, 79, 114, 130,
 134, 139, 141, 224, 237
 Sierra Leone, 90, 92
 silica, 71, 72
 Singapore, 89, 194, 220
 sinker roots, 30, 31, 32
 small insect, 126
 soil, 1, 7, 29, 33, 39, 46, 48, 50, 52, 53, 55, 57,
 58, 59, 65, 82, 87, 89, 121, 141, 160, 173,
 181, 183, 184, 186, 187, 188, 189, 190,
 191, 193, 194, 202, 220, 221, 222, 223,
 225, 226, 229, 233, 237, 242
 soil seed bank, 187–8
 Solomons, 242
 southern armyworm, 75
 specialist avian frugivores, 156
 species definition, 2
 species groups based on leaf characteristics,
 96–102
 species pool, 9
 species–area curves, 8
 spiderhunters, 134
 spines, 70–1
 spiny pocket mouse, 160
 squirrels, 134
 Sri Lanka, 12, 50, 55, 142, 206, 208
 stand table, 238, 239
 staphylinid, 123
 starlings, 135, 156
 stature classes, 15, 17, 79, 114, 115, 116, 152

- stem mass ratio, 196
 stem-boring, 72, 82
 stemflow, 58
 stilt roots, 33, 194
 stinging hairs, 71
 stomata, 67, 94, 96, 218, 219, 221
 stomatal conductance, 38, 62, 219, 220, 221
 stomatal density, 66, 96, 101
 stragglers, 233
 subcanopy species, 116, 117, 232
 subcanopy, 145
 sugar, 75
 sulphur, 74
 Sumatra, 54, 60, 136, 153, 164, 170, 196
 sun leaves, 90, 92, 93
 sunbirds, 134
 sunflecks, 93, 94, 218, 219
 Sungei Menyala, 108, 109, 111, 115, 240
 survival, 200
 symbioses, 46, 51, 52, 53, 56, 57, 82, 83
 synchronous flowering, 129
- tamarins, 157, 160
 tambalocoque, 178
 tannins, 76, 81, 82, 85, 88, 89, 92, 224, 225, 226, 240
 tapirs, 161
 tap-root, 29, 33, 32, 34
 tea, 60
 telemetry, 158
 temperaments, 231
 tension wood, 28
 terpenes, 76, 77, 85, 88, 89
 thermoblastic, 242
 thermogenicity, 141
 three-wattled bellbirds, 177
 thrips, 142
 tinamous, 158
 Tiwai, 90
 toucans, 156, 157, 158
 toughness, 19, 20, 65, 70, 81, 82, 85, 86, 87, 224, 226, 240
 tracheids, 18, 19, 24, 25, 35
 trap-lining, 144
 tree fall, 35
 tree-ferns, 2
 treelets, 15, 16, 17, 41, 48, 49, 58, 71, 114, 197, 202, 215
 definition, 16
 evolution of, 16
 trees
 age, 103, 104
 classification by height at maturity, 227–33
 ecological classification, 13–14
 growth rate, 47
 hydraulic conductivity, 39
 identification, 6
 longevity, 117, 231
 mechanical design, 24–34
 mortality, 105–8
 phylogeny, 2
 population dynamics, 105
 stature classes, 228, 230
 stature, 15–18, 77, 96
 taxonomy, 2, 4
 wood density, 21–22
 tree-shrews, 151, 161
 trichomes, 71
 trichromacy, 86
 Trinidad, 50, 54, 55
 trogons, 156
 tropical diurnal climate, 1
 tropical rain forest,
 diversity, 6–9
 light climate, 15
 low-diversity, 54, 55
 physiognomy, 1
 true gliders, 149
 tumblers, 149
 turtles, 162
- Uganda, 28, 31, 74, 90, 160, 168
 Ulu Dapoi, 16
 understorey shrub, 67, 138, 141, 246
 understorey sites, 41, 177, 186, 191, 205
 understorey species, 15, 31, 43, 46, 83, 94, 114, 115, 116, 117, 118, 122, 205, 215, 229, 230, 231, 232
 undulators, 149
- VAM, *see* vesicular–arbuscular mycorrhizas
 vapour pressure deficits, 94
 vegetative reproduction, 122
 veins, 63, 65, 70, 80
 Venezuela, 28, 50, 55, 59, 62, 65, 71, 72, 87, 99, 105, 152, 154, 186, 203, 204, 216
 vertebrates, 58, 172, 173, 201
 vesicular–arbuscular mycorrhizas, 50, 51, 52, 53, 54, 55, 223
 vessel elements, 21, 24, 35
 vessels, 18, 21, 22, 36, 37
 violaxanthin, 94
 vultures, 156
- water storage, 37
 waterlogging, 220, 221
 water-use efficiency, 92, 220, 221
 weevils, 141, 142, 170, 171
 West Africa, 13, 33, 46, 191, 246
 West Kalimantan, 164
 West Malesia, 55, 129, 170
 Western Ghats, 151, 164

298 **General index**

- white-eye, 135
wind dispersal, 148–49, 153, 237
wind pollination, 130, 146
 rarity in the tropics, 130
wind, 22, 24, 25, 28, 29, 31, 35, 62, 130, 144,
 147, 148, 163, 186, 202, 237
wind-dispersed species, 163, 186
wood, 18–39
 fibres, 20
 mechanical properties, 19
 monocotyledons, 2
 parenchyma, 19
 respiration rate, 24
wood density, 19, 22, 23, 24, 25, 26, 27, 35,
 46, 47, 214, 215, 216, 228, 240, 244
 in relation to shade tolerance, 24
xanthophyll, 94, 95
xylem sap, 18, 21, 35, 39
xylem, 18, 21, 35, 36, 37, 39, 50, 221
xylem sap, 18, 21, 35, 39
Yakushima, 230
zeaxanthin, 94
zoochory, 150–63